

- 1 POWER SYSTEM PROTECTION AND DEVICE COORDINATION
- 2 ADMINISTRATION
- 3 GOALS OF COURSE
- 4 BEFORE WE BEGIN
- 5 COURSE OVERVIEW
- 6 PROTECTION VS. COORDINATION VS. POWER QUALITY VS. SAFETY
- 7 SYSTEM DESIGN APPROACHES IMPACTS
- 8 WHEN IS A SYSTEM "COORDINATED"?
- 9 PROTECTIVE DEVICE COORDINATION
- 10 WHY THE CONCERN ABOUT POWER SYSTEM COORDINATION?
- 11 FAULTS CANNOT BE ELIMINATED !!!
- 12 CRITERIA AND RESOURCES
- 13 FAULT TYPES
- 14 POWER SYSTEM ANALYSIS
NETWORK REDUCTION
- 15 NETWORK ANALYSIS METHODS
- 16 PER-UNIT CALCULATION METHODS
- 17 PER-UNIT FORMULAS AND STEPS
- 18 PER-UNIT IMPEDANCE CORRECTIONS
- 19 TRANSFORMER PERCENT IMPEDANCE TESTING
- 20 IMPORTANCE OF TRANSFORMER IMPEDANCE
- 21 SYMMETRICAL COMPONENTS
- 22 IMPORTANCE OF SYMMETRICAL COMPONENTS
- 23 SYMMETRICAL COMPONENT FORMULAS
- 24 L-G FAULT SEQUENCE DIAGRAMS
- 25 L-G FAULT SEQUENCE DIAGRAMS
- 26 WYE-WYE TRANSFORMERS, SYMMETRICAL
COMPONENTS, AND GROUND FAULT PROTECTION
- 27 DELTA-WYE TRANSFORMERS, SYMMETRICAL
COMPONENTS, AND GROUND FAULT PROTECTION
- 28 GROUND FAULTS
- 29 GROUND FAULT CURRENT MAGNITUDES
- 30 ARCING GROUND FAULT MAGNITUDES
- 31 ARCING GROUND FAULT PROBABILITIES
- 32 GROUND FAULT PROTECTION OF MEDIUM VOLTAGE SYSTEMS
- 33 FAULT CURRENTS NEEDED FOR STUDY
- 34 CIRCUIT BREAKER RATINGS
- 35 DISTRIBUTION FUSE INTERRUPTING RATINGS
- 36 BREAKER AND FUSE TESTING AND RATINGS
- 37 BREAKER AND FUSE DERATING

- 38 ANSI BREAKER CALCULATIONS
- 39 MCCB BREAKER DERATING EXAMPLE
- 40 COORDINATION GRAPHICAL TOOLS
- 41 RELAY TIME/CURRENT CURVE – DEFINITE TIME
- 42 RELAY TIME/CURRENT CURVE - INSTANTANEOUS
- 43 RELAY INVERSE TIME/OVERCURRENT CURVES
- 44 COORDINATION USING LOG-LOG PLOTS
- 45 GENERAL CURVE INTERPRETATION
- 46 PLOTTING VOLTAGES
- 47 DELTA-WYE TRANSFORMER CONNECTION EFFECT ON TCC PLOTTING
- 48 PLOTTING DELTA-WYE SYSTEM TIPS
- 49 DELTA-WYE SYSTEMS EFFECT ON TIME-CURRENT PLOTS
- 50 NON-CURRENT LIMITING MCCB TIME/CURRENT CURVE
- 51 DIGITAL or SOLID-STATE TRIP LOW VOLTAGE BREAKERS
- 52 STANDARD FUSE TIME/CURRENT CURVE
- 53 LOW VOLTAGE CURRENT LIMITING FUSE CURVE
- 54 FUSED CUTOFF LINK CHARACTERISTICS
- 55 MEDIUM VOLTAGE POWER FUSE CHARACTERISTICS
- 56 INVERSE TIME/OVERCURRENT PROTECTIVE RELAYS
- 57 INVERSE RELAY CURVE COMPARISONS
- 58 EXTREMELY INVERSE CURVE RELAY
- 59 CURRENT LIMITING FUSE RATIOS ACHIEVE COORDINATION
- 60 MOLDED CASE BREAKER - MINIMUM RATIOS
- 61 EFFECTS OF FAULT CURRENT MAGNITUDE ON COORDINATION
- 62 TIME DIVISION
- 63 INFINITE BUS VS. REAL WORLD - SYSTEM
- 64 INFINITE BUS VS. REAL WORLD – FAULT CURRENTS
- 65 INFINITE BUS VS. REAL WORLD – 1-MILE OUT
- 66 INFINITE BUS VS. REAL WORLD – 10 –MILES OUT
- 67 EXAMPLE COORDINATION PROBLEM
- 68 EXAMPLE PROBLEM - PROTECTION
- 69 EXAMPLE PROBLEM - COORDINATION
- 70 EXAMPLE PROBLEM – COORDINATION
- 71 EQUIPMENT DAMAGE CHARACTERISTICS
- 72 I^2t vs. EQUIPMENT PROTECTION
- 73 I^2t ASSUMPTIONS
- 74 C. L. FUSE PERFORMANCE
PEAK CURRENT LET-THROUGH CHART
- 75 CURRENT-LIMITING FUSE MISCONCEPTIONS

- 76 SHORT CIRCUIT CURRENT RATING (SCCR)
- 77 CURRENT-LIMITING FUSE PROTECTION OF BREAKERS
- 78 CURRENT LIMITING MCCB PRINCIPLES
- 79 CURRENT LIMITING MCCB TIME/CURRENT CURVE
- 80 CURRENT LIMITING MCCB LET-THRU CURVES
- 81 MCCB COORDINATION-Example 1
- 82 MCCB COORDINATION-Example 2
- 83 SHORT TIME CURRENT
CABLE DAMAGE CHARACTERISTICS
- 84 INSULATED CABLE DAMAGE CURVES
BEYOND 10 SECONDS
- 85 CABLE PROTECTION
- 86 CABLE PROTECTION – POWER CIRCUIT BREAKERS
- 87 PARALLELED CONDUCTOR SHORT CIRCUIT PROTECTION
- 88 SUBSTATION GROUND GRID PROTECTION
- 89 NEC EQUIPMENT GROUNDING PROTECTION
- 90 EQUIPMENT GROUND PROTECTION
- 91 MEDIUM VOLTAGE SHIELD DAMAGE
- 92 SHIELD PROTECTION – SOLIDLY GROUNDED SYSTEM
- 93 SHIELD PROTECTION – RESISTIVELY GROUNDED SYSTEM
- 94 OVERHEAD CONDUCTOR PROTECTION
- 95 OVERHEAD LINE CONDUCTOR CHARACTERISTICS
- 96 MOTOR PROTECTION
- 97 MOTOR OVERLOAD RELAYS
- 98 MOTOR PROTECTION ANALYSIS
- 99 TRANSFORMER PROTECTION
- 100 TRANSFORMER THERMAL DAMAGE CURVES
- 101 COMMON TRANSFORMER PROTECTION
- 102 TRANSFORMER PROTECTION & COORDINATION –SECONDARY FAULTS
- 103 DIFFERENTIAL TRANSFORMER PROTECTION
- 104 NEMA BUSBAR DAMAGE CURVES
- 105 BUSWAY DAMAGE
- 106 GENERATOR PROTECTION
- 107 GENERATOR SHORT CIRCUIT CHARACTERISTICS VS. EXCITATION SUPPORT METHOD
- 108 GENERAL GENERATOR PROTECTION PROBLEMS
- 109 GENERATOR OVERCURRENT PROTECTION
- 110 GENERATOR RELAYING FOR FAULT CURRENTS
- 111 ENHANCED GENERATOR PROTECTION
- 112 COORDINATION TIME INTERVALS
- 113 FACTORS INFLUENCING COORDINATION TIME INTERVALS

- 114 APPLYING COORDINATION TIME INTERVALS
- 115 INSTANTANEOUS TRIP DEVICES
- 116 INSTANTANEOUS RELAY PROTECTION ZONES
- 117 COORDINATING INSTANTANEOUS TRIP ICCB OR MCCB BREAKERS
- 118 INSTANTANEOUS TRIP vs TRANSFORMER INRUSH
- 119 TRANSFORMER INRUSH CONSIDERATIONS
- 120 CASE STUDY: TRANSFORMER INRUSH vs THERMAL-MAGNETIC MCCB TRIPPING CURRENTS
- 121 CASE STUDY: TRANSFORMER INRUSH vs MCCB INSTANTANEOUS TRIPPING CHARACTERISTICS
- 122 SERIES-RATED BREAKERS
- 123 SERIES-RATED BREAKERS VS. COORDINATION
- 124 INSTANTANEOUS TRIP RELAYS
- 125 RECLOSING RELAYS AND RECLOSERS
- 126 FEEDER RECLOSING RELAY EXAMPLE
- 127 RECLOSER AND FUSE COORDINATION
- 128 RECLOSING RELAYS WITH SECTIONALIZER
- 129 ASYMMETRICAL CURRENT IMPACTS
- 130 ASYMMETRY FACTORS AND HOW THEY AFFECT SYSTEM COORDINATION
- 131 CURRENT LIMITING FUSES AND NON-CURRENT LIMITING BREAKERS
- 132 COORDINATION USING CURRENT LIMITING FUSE LET-THROUGH CURVES
- 133 LOAD FLOW EFFECTS
- 134 COLD LOAD PICKUP
- 135 COLD LOAD PICKUP
- 136 COLD LOAD PICKUP
- 137 UTILITY SYSTEM FUSING PHILOSOPHIES
- 138 DIFFERENTIAL RELAYS
- 139 BUS DIFFERENTIAL C.T. SELECTION
- 140 600 V SYSTEM GROUND FAULT PROTECTION
- 141 3 – C.T. RESIDUAL RELAY SCHEME
- 142 4- C.T. RESIDUAL RELAY SCHEME
- 143 1 – C.T. GROUND FAULT DETECTION SCHEME
- 144 1 – C.T. GROUND FAULT DETECTION
SYSTEM NEUTRAL SCHEME
- 145 GROUND FAULT PROTECTION SENSITIVITY
- 146 EXAMPLE PROBLEM
GROUND FAULT PROTECTION
- 147 EXAMPLE PROBLEM
GROUND FAULT PROTECTION
- 148 EXAMPLE PROBLEM
GROUND FAULT PROTECTION
- 149 ZONE INTERLOCKING GROUND FAULT PROTECTION

- 150 DELTA-WYE TRANSFORMER EFFECTS ON 3-PH & GROUND FAULT CURRENTS
- 151 3-ph FAULT CONTROL WITH TRANSFORMERS
- 152 GROUND FAULT CONTROL WITHOUT TRANSFORMERS
- 153 GROUND FAULT CONTROL WITH TRANSFORMERS
- 154 CURRENT TRANSFORMERS
- 155 CURRENT TRANSFORMER LIMITATIONS
- 156 CT BURDEN CALCULATIONS
- 157 CT SATURATION EFFECTS – DIGITAL RELAYS
- 158 ELECTROMAGNETIC TRANSFER SWITCHES
- 159 CONTACTOR TYPE TRANSFER SWITCHES
- 160 STATIC TRANSFER SWITCHES (STS)
- 161 CIRCUIT BREAKER TYPE TRANSFER SWITCHES
- 162 MOLDED CASE SWITCH RATING
- 163 WEAK SOURCE SYSTEMS
- 164 UNINTERRUPTIBLE POWER SUPPLIES (UPS)
- 165 UPS MODES OF OPERATION
- 166 UPS MODE MODELS
- 167 ½ CYCLE UPS AND STS vs. BREAKER CHARACTERISTICS
- 168 SHORT TIME UPS AND STS vs. BREAKER CHARACTERISTICS
- 169 UPS SYSTEM DESIGN
- 170 TYPICAL UPS SYSTEM DESIGN
- 171 DISTRIBUTED UPS COMPARISONS
- 172 COMMON GENERATOR EMERGENCY CIRCUIT DESIGN
- 173 COMMON GENERATOR EMERGENCY CIRCUIT DESIGN
- 174 LOAD LUMPING IMPACTS OF EMERGENCY CIRCUIT DESIGN
- 175 LOAD LUMPED EMERGENCY CIRCUIT ANALYSIS
- 176 LOAD LUMPED EMERGENCY CIRCUIT ANALYSIS
- 177 IMPROVING THE EMERGENCY SYSTEM DESIGN
- 178 EMERGENCY GENERATOR AS SOURCE
- 179 COORDINATION FACTORS TO CONSIDER DURING INITIAL SYSTEM DESIGN
- 180 NFPA 70 , NATIONAL ELECTRICAL CODE
- 181 NEC : SYSTEM COORDINATION REQUIREMENTS
- 182 NEC Article 110
- 183 ARC FLASH/ARC BLAST PROTECTION
- 184 ELECTRICAL ARC HAZARDS
- 185 ARC FLASH PROTECTION
- 186 ARC FLASH HAZARD CALCULATIONS
- 187 ARC FLASH - ENERGY IN ARC (NFPA 70E)

- 188 FLASH PROTECTION BOUNDARY
- 189 CLEARING TIME VS. HAZARD LEVELS
- 190 ARC DURATION CONTROL
- 191 ARC FLASH VS. DEVICE SETTINGS
- 192 INSTANTANEOUS TRIP SETTINGS FOR ARC FLASH DETECTION
- 193 REDUCING ARC FLASH HAZARDS
- 194 EXCESSIVE ARC FLASH HAZARD BY DESIGN
- 195 ARC FLASH STUDY ISSUES
- 196 ARC BLAST PRESSURES
- 197 ARC BLAST EQUIPMENT RATINGS
- 198 IEEE C37.20.7 ARC BLAST TESTING
- 199 ARC RESISTANT EQUIPMENT IMPACT TO DEVICE COORDINATION
- 200 NEC ARTICLE 240 – OVERCURRENT PROTECTION
- 201 NEC Article 240
- 202 NEC Article 240
- 203 NEC Articles 430 and 450
- 204 UL 489 BREAKER TESTING
- 205 NEC ARTICLE 215 AND 230
- 206 NEC ARTICLE 215 AND 230 ARCING GROUND FAULT DAMAGE POINT ANALYSIS
- 207 NATIONAL ELECTRICAL SAFETY CODE (NESC)
- 208 NESC : SYSTEM COORDINATION REQUIREMENTS
- 209 NATIONAL ELECTRICAL SAFETY CODE (NESC)
- 210 NESC RULE 93-C
- 211 NESC RULE 93-C, 1/5TH RULE ANALYSIS
- 212 NESC – SECTION 16
- 213 NESC – SECTION 23
- 214 NESC – SECTION 33
- 215 LUMPED LOADS
- 216 BETTER DESIGN
(MINIMIZING LUMPED LOADS)
- 217 AVOIDING LOAD LUMPING IN CRITICAL SYSTEMS
- 218 COMMON COORDINATION ERRORS AND MISCONCEPTIONS
- 219 COMMON COORDINATION ERRORS AND MISCONCEPTIONS
- 220 COMMON COORDINATION ERRORS AND MISCONCEPTIONS
- 221 COMMON COORDINATION ERRORS AND MISCONCEPTIONS
- 222 SPECIFICATION WRITING
- 223 MANUFACTURER TO MANUFACTURER COMPARISONS - MCCB
- 224 MANUFACTURER TO MANUFACTURER COMPARISONS - SST
- 225 PROTECTIVE DEVICE COMMISSIONING

- 226 DESIGNING FOR COORDINATION – NORMAL SYSTEM
- 227 DESIGNING FOR COORDINATION – NORMAL SYSTEM
- 228 DESIGNING EMERGENCY GENERATOR SYSTEMS FOR COORDINATION
- 229 DESIGNING EMERGENCY GENERATOR SYSTEMS FOR COORDINATION
- 230 DESIGNING UPS SYSTEMS FOR COORDINATION
- 231 COSTS OF SYSTEM COORDINATION
- 232 BASIC STEPS OF A COORDINATION STUDY
- 233 PLOT DEVICES AND SELECT SETTINGS OR RATINGS
- 234 HANDLING SYSTEMS THAT CANNOT BE COORDINATED
- 235 COURSE SUMMARY
- 236 SUMMARY
- 237 SOME LESSONS LEARNED
- 238 SAMPLE PROBLEMS AND LAB RESULTS SESSION
- 239 THANK YOU
- 240 REFERENCES